

UNIX and THE CONTINUOUS AUDIT OF ONLINE SYSTEMS

Miklos A. Vasarhelyi
Bell Laboratories, 600 Mountain Ave., Murray Hill, N.J.
07974 and Rutgers University, Newark, N.J.

Fern B. Halper
Bell Laboratories, 600 Mountain Ave., Murray Hill, N.J. 07974.

July 1991

The authors wish to thank the two anonymous reviewers for their constructive comments and the editor for his review of the manuscript. We would also like to thank the participants of research seminars at Columbia University, Rutgers University, the University of Kansas, the University of Nebraska, and Boston University and the attendees of the EDPAA, IIA, and AICPA professional meetings for their comments and suggestions. We are particularly indebted to Sam Parker, Chris Calabrese, Tsyh-Wen Pao, John Snively, Andrew Sherman, and Kazuo Ezawa for their work on the prototype system.

The evolution of MIS technology has affected traditional auditing and created a new set of audit issues. This paper focuses on the Continuous Process Auditing System (CPAS) developed at Bell Laboratories for the Internal Audit organization. The system is an implementation of a Continuous Process Audit Methodology (CPAM) and is designed to deal with the problems of auditing large paperless database systems. The paper discusses why the methodology is important and contrasts it with the traditional audit model. An implementation of the continuous process audit methodology is discussed.

CPAS is designed to measure and monitor large systems, drawing key metrics and analytics into a workstation environment. The data are displayed in an interactive mode, providing auditors with a work platform to examine extracted data and prepare auditing reports. CPAS monitors' key operational analytics, compares these with standards, and calls the auditor's attention to any problems. Ultimately, this technology will utilize system probes that will monitor the auditee system and intervene when needed.

This paper examines the UNIX-Based Implementation of an alternate audit approach called the Continuous Process Audit Methodology.

The paper is divided into four sections. In the remainder of the Introduction, changes in Management Information Systems (MIS) that affect traditional auditing are discussed. In the second section, the continuous process audit methodology and CPAS system are described. The following section examines the UNIX implementation and knowledge issues related to CPAM. The last section presents conclusions and suggests paths for future work.

"Current Technology, Forthcoming Technology, and the Auditor"

Traditional auditing has changed considerably in past decades, primarily as a result of changes in the data processing environment. [Roussey, 1986 ; Elliot, 1986; Vasarhelyi and Lin, 1988; Bailey et al., 1989]. These changes have created major obstacles in performing the auditing and attestation function.

For example, 1) the introduction of technology made auditors not directly able to read data from its source (magnetic tape) and, unlike paper and indelible ink, this source could be modified without leaving a trace. (Phase 1 in Table 1), 2) the advent of time sharing and data communications have allowed continuous access to data from many locations (phase 3) creating access exposures, and 3) database systems have added more complexity to auditing due to the lack of obvious mapping between the physical and logical organization of data (phase 4).

Auditors dealt with these changes by 1) tailoring computer programs to do traditional audit functions such as footing, cross-tabulations and confirmations, 2) developing generalized audit software's to provide information on data files, 3) requiring many security steps to limit logical access in multi-location data processing environments and 4) developing specialized audit computers and/or front-end software to face the challenge of database oriented systems.

However, MISs continues to advance in design and technology. Corporate MISs, and particularly financial systems of the future will [Vasarhelyi and Yang, 1988]: be more decentralized process data at different levels (microcomputers, minis and mainframes processing data seamlessly), capture data close to the economic event (and be increasingly paperless), benefit from common editing facilities, have continuous audit monitoring with mechanisms that allow for transaction tracing at any level of aggregation, post transactions close to real-time to live or "shadow" files, present daily "closing" of books with financial conditions and accurate position of liquid assets on a national and multinational basis. These changes will cause additional obstacles for auditors and require further evolution in audit tooling and methodology. For example, three level processing allows a user to access data (i.e. from a financial system) from a mainframe or mini computer on their personal computer via a network. Such access raises synchronization issues (i.e. between the data the user downloaded to a spreadsheet and the data on the actual database) and security issues.

The same advanced technologies that create audit problems can be used by auditors to perform the audit function. For example, Cash et al. [1977] examine techniques that can be used to audit Accounting Information Systems. Other examples of these technologies are the use of advance workstations [Wolitzky, 1985] and decision support systems [Alter, 1980] that incorporate analytic tools and expertise [Bailey et al., 1987] to be used on top of the corporate information system. CPAS is an example of the use of these technologies and is presented later in this paper.

"The Current Environment for Large Applications"

Many large applications today will typically use one type of Database Management System (i.e. IBM's IMS) spread among several databases that relate to different modules of a system. Data may be kept in several copies of the database with identical logical structures and may be processed at the same location and/or in many locations. These systems can typically support both online and batch data processing and are linked to a large set of related feeders acting in asynchronous patterns feeding transactions and receiving adjustments and responses from the main system. Additionally,

the main system can be the information base for downstream systems supporting management decisions and operations. Most large corporate systems today have a set of interconnected applications. For example payroll and accounts payable serve as upward feeders for the general ledger which in turn feeds down stream modules like the corporate financials and costing. This system may store a related family of databases including the master database, a transaction database, a pending transaction database, a control database, and an administrative database. The DBMS typically will have its own software for resource accounting and restart-recovery facilities, a query language, a communication interface, a data dictionary, and a large number of utility packages.

In many corporations, system software consists of different systems with a large majority of the systems still operating in mainframe computers, programmed in traditional programming languages, and interfacing primarily with mainframe-based databases. System hardware is a mix of different technologies with bridges among different standard environments, including microcomputers acting as feeders and analysis stations, large mainframes, a large number of telecommunication interfaces, middle size system buffers, and large data storage devices.

Copies of system software may be distributed among different sites with center-oriented as well as center-divergent information flow. Data can be transmitted at the burst mode (accumulated by or for batch processing) as well as in an intensive flow (where data is entered when a transaction is measured and not accumulated for transmission) for online or close-to-online processing mode [Fox and Zappert, 1985].

Audit work on these systems is constrained by strong dependence on client system staff (for the extraction of data from databases) and typically entails reviewing the manual processes around the large application system. In traditional system audits these procedures were labeled as "audit around the computer". These procedures, are described above as Level 1 and are characterized by examination of documentation, requests for user query of the database, examination of application summary data, sorting and listing of records by the user (not the auditor), a strong emphasis on paper, physical evaluation of security issues, plan analysis for the evaluation of restart & recovery and manual reconciliation of data to evaluate application interfaces.

Level 2 tasks, would use the computer to perform database audits as well as eliminate the intermediation by the user (auditee) in the audit of database systems. This hands-on approach utilizes queries to the data dictionary, direct use of the system by the auditor and would rely on transaction evidence gathered by the auditor using the same database technology.

The differences in desired audit approach and the technological tooling necessary for performing level 2 tasks led to the development of some of the concepts used for Continuous Process Auditing.

CONTINUOUS PROCESS AUDITING

There are some key problems in auditing large database systems that traditional auditing as well as the traditional EDP process cannot fully solve. For example, given that traditional audits are performed only once a year, audit data may be gathered long after economic events are recorded. This often is too late to prevent economic loss. Traditionally the attestation function has not been

relevant in the prevention of loss. However, internal auditors have increasingly been asked to assume a much more proactive role in loss prevention. Another problem is that auditors typically receive only a "snapshot" of a system via several days of data supplied by the auditee. Unless these data coincide with some sort of problem in the system the data may not be a good indication of system integrity. Surprise audits are seldom effective in this kind of environment and compliance is difficult to measure because major and obtrusive preparation is necessary in the "around-the-computer" audit of systems.

In Continuous Process Auditing, data flowing through the system are monitored and analyzed continuously (i.e., daily) using a set of auditor defined rules. System alarms and reports call the auditor's attention to any deterioration or anomalies in the system. Continuous Process Auditing then, is really an analytical review technique since constantly analyzing a system allows the auditor to improve the focus and scope of the audit. Furthermore, it is also often related to controls as it can be considered as a meta form of control (audit by exception) and can also be used in monitoring control (compliance) either directly, by looking for electronic signatures, or indirectly by scanning for the occurrence of certain events. The accounting literature has suggested other forms of supplementing traditional control techniques by creating a formal methodology of internal control representation and analysis [Bailey et al., 1985; Bailey et al., 1986] or by using the entity-relationship approach [McCarthy 1979, 1982] to represent accounting events.

Ultimately, if a system is monitored over time using a set of auditor heuristics, the audit can rely purely on exception reporting and the auditor is called in only when exceptions arise. Impounding auditor knowledge into the system means that tests that would normally be performed once a year are repeated daily.

This methodology will change the nature of evidence, timing, procedures and effort involved in audit work. The auditor will place an increased level of reliance on the evaluation of flow data (while accounting operations are being performed) instead of evidence from related activities (e.g. preparedness audits). Audit work would be focused on audit by exception with the system gathering knowledge exceptions on a continuous basis.

Traditional auditing involves the examination of archival data, substantially after the event and emphasizes paper-based evidence. Continuous Process Auditing involves the examination of archival and immediate data, close-to-the-event and use of magnetic recorded data.

"Key Concepts"

The placement of software probes into large operational systems for monitoring purposes may imply an obtrusive intrusion on the system and can result in performance deterioration. The installation of these monitoring devices must be planned to coincide with natural life-cycle changes of major software systems. Interim measures should be implemented to prepare for online monitoring.

The current CPAS prototype consists of a data provisioning system and an advanced decision support system. Data can be gathered from tailored reports (files) from the application, reports from the application, and direct monitoring data.

The approach used in CPAS is dual, evolving from a measurement phase without intrusion and minor system overhead, to a monitoring phase where intrusion is necessary but audit capability is substantially expanded.

"Measurement"

Copies of key management reports are issued and transported through a data network to an independent audit work station at a central location. These reports are stored in raw form and data are extracted from these reports and placed in a database. The fields in the database map with a symbolic algebraic representation of the system that is used to define the analysis. The database is tied to a workstation and analysis is performed at the workstation using the information obtained from the database.

"Monitoring"

In the monitoring phase, audit modules will be impounded into the auditee system. This will allow the auditor to continuously monitor the system and provide sufficient control and monitoring points for management retracing of transactions.

The level of aggregation and difficulties of balance and transaction tracing that are prevalent in current systems will decrease in the future as processing economies that dictated the limited traceability of transactions will not be needed as systems become more powerful.

The Continuous Process Audit System

(CPAS) prototype uses the "measurement" strategy of data procurement. The auditor logs into CPAS and selects the system to be audited. The front end of CPAS allows the auditor to look at copies of actual reports used as the source of data for the analysis. From here the auditor can move into the actual analysis portion of CPAS. In CPAS, the system being audited is represented as flowcharts on the workstation monitor. A high level view of the system is linked hierarchically to other flowcharts representing more detail about the system modules being audited. This tree oriented view-of-the-world which allows the user to drill down into the details of a graphical representation is conceptually similar to the Hypertext approach [Gessner, 1990]*

The Hypertext approach is not new being traceable to the 1960s work of Ted Nelson. It is currently quite popular due to its implementation in personal computers, its affinity to object-oriented thinking and many implementations both commercial and public domain. The analysis is structured along these flowcharts leading the auditor to think hierarchically. An integrated view of the system is available at DF level 0. This logical view of the system can be associated to diagnostic analytics that count the number of exceptions and/or alarms current in the system. Detailed information about each main module is available at the lower levels. This type of thinking is similar to "hypertext" conceptualization where symbolic and relational links can be specified across levels.

This information is presented primarily as metrics and analytics.

"Metrics"

Metrics are defined as direct measurements of the system, drawn from reports, in the measurement stage. These metrics are compared against system standards. If a standard is exceeded, an alarm

appears on the screen. For example, in the auditing of a billing system, the number of bills to be invoiced is extracted from a user report. The number of bills not issued due to a high severity error in the data is captured as well as the total dollar amount of bills issued. These three numbers are metrics that relate to the overall billing process.

"Analytics and Alarms"

Analytics are defined as functional (natural flow), logical (key interaction), and empirical (e.g. it has been observed that) relationships among metrics. Specific analytics, related to a particular system module can be derived from the auditor, management, user experience, or historical data from the system. Each analytic may have a minimum of three dimensions: 1) its algebraic structure, 2) the relationships and contingencies that determine its numeric value at different times and situations and 3) rules-of-thumb or optimal rules on the magnitude and nature of variance that may be deemed as "real variance" to the extreme of alarms. For example, a billing analytic would state that dollars billed should be equal to invoices received, minus values of failed edits plus (or minus) the change of the number of dollars in retained invoices. The threshold number of expected invoices for that particular day or week (allowing for seasonality) must be established to determine whether an alarm should be fired.

Actual experience with these issues indicates that several levels of alarms are desirable: 1) minor alarms dealing with the functioning of the auditing system, 2) low level operational alarms to call to the attention of operating management, 3) higher level alarms to call the attention of the auditor and trigger "exception audits" and 4) high level alarms to warn auditing and top management of serious crisis. Establishing these alarm thresholds is a second harmonic development. The data and experience needed to understand the phenomena being measured to the level of specification of alarm standards are probably not available in most organizations. Experience with a CPAS-like system will aid in their development.

"Software Implementation"

Figure 3 was prepared using CPAS and has the look-and-feel of any CPAS application. It shows a high-level view of a theoretical billing system. The hierarchy window on the left in the figure indicates what part of the billing system is represented by the flowchart. In this example, the flowchart represents the base node of the billing system hierarchy, i.e., an overview of the system. This node is called "Overview" in the hierarchy window. The auditor can use the hierarchy window to move to any flowchart in CPAS by simply selecting the desired node.

Insert Figure 3 Here

The billing system consists of six major modules: Process Transactions, Process Errors, Customer Billing, Payments, Treatments and Journals, Customer Inquiry, and Process New Orders. Billing data first enters the Process Transaction module where high level edits are performed. Any errors from this process are sent to the Error Processing module. Corrected errors are sent back through the front-end of the system. Transactions that successfully pass through the front-end are sent to the

Billing module where customer accounts are extracted, amount due calculated, and the bill produced. Errors from this process are sent to the Error Correction module. Billing information is sent to the Journals function. Payment and treatment information is processed here, and the customer database is updated. The system also contains a module that deals with any questions a customer may have about his/her account and a module that processes new orders for service.

The alarm report (Figure 4) at this level states that there are three alarm conditions outstanding in the system on 4/1/89. There are ten accounts out-of-balance in the billing module, 2000 errors were sent to the error module and the dollar value of the error file has exceeded the standard.

Insert Figure 4 here

The auditor may wish to look at the Customer Billing module in more detail to investigate the out-of-balance condition. The auditor would use a mouse and select the Billing node in the hierarchy window. This would cause the branch to the selected node to be highlighted and a new flowchart representing the Customer Billing module would appear on the workstation monitor. This is illustrated in Figure 5. The date bar in the figure indicates the date the analysis uses as the base date. Here the metrics, indicated as boxes next to the flow chart, show the flow of accounts through the Customer Billing module on 4/1/89. At this or any level of the system, the auditor can chose to look at alternate metric dimensions (i.e. transactions, records), if appropriate. Additionally, if multiple copies of the software exist in different locations, the auditor can chose what level of aggregation he or she is interested in.

These metrics are used to perform reconciliation and different modules would have different metrics associated with them. The alarm (found on the lower left of the figure) indicates that there were ten accounts lost between the Format Bill module and the Print Bill module on this date. This is the same alarm earlier mentioned and relates to an analytic, impounded into the system, in the form of a reconciliation equation that is out of balance. This reconciliation is performed automatically with a frequency equal to the report generation so the auditor can monitor how often the reconciliation fails.

Insert Figure 5 here

The auditor may wish to look at the history of the reconciliation. Figure 6 is a three level time-series showing the number, total value, and percent of accounts lost for a three week period ending 4/1/89.

Insert Figure 6 here

It appears from the graph that the out-of-balance condition has been occurring sporadically for quite some time. This could indicate inadequacy or poor compliance with internal controls.

More detailed analytics and metrics relating to the actual billing process and the interface between this module and other modules in the system are found at the different levels. This information, taken together, presents an integrated diagnostic view of the system being audited.

"Text", explaining the flowcharts and "Help", explaining how to use the system, are available at each level. The auditor can print out screens, reports, or graphs at any time for writing his/her audit reports.

Complementing the actual hands-on audit work is an auditor platform, accessible at any level, which can include a series of different functions. This platform should ultimately contain at least a statistical package, a graphics package, a spreadsheet package (including a filter to the database), a report generator, and a text editor. These tools can be used for ad hoc analysis or be linked to the wired-in" procedures in CPAS. An even richer technological environment may incorporate Specific audit document preparation tools that use high technology hardware to read and interpret printed materials [Kahan et al., 1986]. And large amounts of information can be stored and accessed directly using optical disk (WORM) technology.* Many firms (e.g. Imnet Corporation, Teletrak Advanced Technologies Systems Inc.) are developing document image technology to access large optical data storage devices.

The CPAS technology and software base and the potential set of tools associated with it must be considered in conjunction with the auditor, the auditor's environment, and the auditor knowledge base.

UNIX-based CPAS Implementation

The CPAM concept required flexible-modular design and a high degree of flexibility with the purpose of concept-testing and prototyping. Mainframe-based development was deemed too intrusive and too costly. Consequently a workstation-based approach with UNIX-type transitivity and pixel-oriented graphics were chosen.

The CPAS software was implemented under a NeWS windowing system and a SUN workstation. The NeWS system, at that stage, possessed the best set of "widgets" and development tools. It used "postscript" as its imaging language and could use a screen, a file, as well as a laser printer as an output medium.

The entire software was constructed using standard UNIX tools with a minimum of low-level programming. The data was generated in the IBM mainframes in the form of standard user reports. These reports, created with the traditional system development process were analyzed by a "knowledge engineer" and specific fields chosen for collection. JCL specs were included in the application control procedures to specify that a particular report's copy needed to be sent to a particular report distribution node. This JCL specification was the only (and minimal) intrusion in the application.

Once the report was sent to the receiving destination it was placed in an electronic storage bin. A connected UNIX gateway would run periodic (say every 10 minutes) "DAEMONS" and capture (snurf) these reports, transform them into mail messages and \fmail\fp (a standard UNIX function)

them to the CPAS workstation. Under certain conditions \fIuucp\fP (UNIX to UNIX Communication Protocol) was used to transfer the report file to the CPAS workstation. These reports, upon arrival at the CPASW were identified and scanned for the desired data. For example a report named A121 would be identified and an A121.awk *XXXXXX

Both \fIsed\fP and \fIawk\fP are pattern scanning languages designed for the identification of specific sequences in text. See Ajo, W... K...smmsmsmsmmsxxxxx program scanning routine would be activated. The data extracted would be placed in a relational database. A commercially available relational database (INGRES) was used as a storage device separating the data gathering portion of the system from its data analysis and delivery device.

The primary user interface (called Flow Front) displayed six main items: 1) a symbolic representation of the application system, 2) a hierarchy box representing the main levels of the system, 3) boxes displaying the values of specific metrics, 4) window with analytic-graphs, 5) window with representative tables, and 6) windows with text containing helps and system text. Furthermore the screen contains buttons, slide bars and touch-sensitive areas.*F

The reader should refer to C. J. calabrese article on windowing systems, earlier in this issue for explanation of the elements of a windowing system.

The graphic interface design device was called "Flow-Edit" and is not unlike many graphic design devices now available both in the UNIX (e.g. xxxx) and the DOS (e.g. Harvard Graphics) worlds.

The hierarchy box showed the hierarchical levels of the screens and allowed for moving rapidly among the levels.

Specific metrics boxes contained data represented to be moving along a flow or contained in a level. These metrics were the result of direct \fIsql\fP*F queries to the RDB.

The graphs contained in the windows representing analytics were drawn by a statistical package indigenous in the UNIX environment called \fIIS\fP.*F

The package developed for "exploratory data analysis*F contains graphical features of great value and was used in the generation of graphs. (see Figure xxx)

Both the tables and text were generated using UNIX's text editing, formatting and WYSIWIG features enriched by the power of postscript display on to the screens.*F

The guest-editor's editorial discusses these tools earlier in this issue.

The concept, however, can be extended and can be implemented piece by piece using standard PC tools. Conceivably, the methodology can be implemented in many different ways, from a pure PC implementation to a full-fledged distributed computing solution with the "audit computer" as the self-contained destination of monitoring/measurement data.

\f3AUDITOR AND KNOWLEDGE ISSUES\f1

The set of analytics and heuristics used in CPAS will ultimately include a wide variety of algorithms ranging from flow-based rules to expert algorithms drawn using techniques in knowledge engineering. These algorithms will be used both in the auditor platform, as analytical supplements, as well as impounded into software probes in the monitoring stage.

Expert systems techniques have been examined by several auditing researchers [see Kelly et al, 1988] as well as implemented on a limited basis dealing with certain tax (tax accruals) and financial accounting issues (e.g. bank loan portfolio estimation) in practice [Hansen and Messier, 1987; Vasarhelyi, 1988]. Audit knowledge is needed to supplement the simple comprehension of the system being audited and to deal with the very complex stage of data gathering, analysis and knowledge organization [Buchanan and Shortliffe, 1984] necessary for programming the auditing probes.

The CPAS prototype was tested on two very large financial systems. The first application of the CPAS technology was an evolving system whose features changed rapidly. The idea was to put a prototype in place that contained basic analytics and then work with the auditors, as they used CPAS, to build more expertise into the system. The issue of startup cost to impound the system description into the CPAS platform and the maintenance of the knowledge base became very important. However, the process of knowledge acquisition and recording used under CPAS is not unlike the phases of internal control evaluation and documentation for workpapers that an auditor has to perform. The level of auditor comprehension of the system tends to be deeper under this approach if the auditor (not a system analyst) is to perform knowledge capture.

In the long range much of this work can be linked to the use of CASE type tools where the knowledge is captured at design and could be easily transported, if not directly used, to the platform.

Consequently, the CPAS approach probably requires a higher audit startup cost than the traditional audit but the level of audit examination is also consequently deeper and more reliable. The CPAS approach is substantially different from the traditional one and requires balancing of audit evidence and timing of the audit process. Given this, the issue of resistance to change may arise. This can be handled by the issuance of an audit manual that describes how to audit with CPAS and extensive training and technical support of the auditors in the engagement.

"CONCLUSIONS"

This paper proposed an approach for the audit of large database systems and a workstation tool to perform this task. This approach may be important for systems management as well as auditors because it is a potentially viable management aid. It serves as a tool for the comprehension and monitoring of large systems.

CPAS automates the data gathering process and performs cross-checking on a continuous basis. It provides the auditor with more rapid access to information and more rapid assimilation of that information. CPAS also structures the analysis of this information and impounds some decisions into the information structure that call for auditor action.

The CPAS methodology was developed with special focus on internal auditing but may be extended to external auditing work even for smaller application software (if templates can be developed). CPAS is really a specific instance of the application of a large systems monitoring and management technology into an audit domain.

Future work will focus on increasing the quality of auditor work by integrating the auditor platform with the auditor workstation, increasing the use of monitoring probes, improving the quality of the auditor heuristics, and impounding more expertise into the system.

REFERENCES

Alter, S. , \f2Decision Support Systems: Current Practice and Continuing Challenges\f1 (Addison-Wesley Publishing Company, 1980).

Bailey, A. D., G. L. Duke, G. E. Gerlach, C. E. Ko, R. D. Meservy and A. B. Whinston, "TICOM and the Analysis of Internal Controls," \f2The Accounting Review,\f1 (April 1985), pp. 186-201.

---and R. D. Meservy, P. E. Johnson, "Internal Control Evaluation: A Computational Model of the Review Process," \f2Auditing: A Journal of Practice and Theory,\f1 (Autumn 1986), pp. 44-74.

---and K. Hackenbrack, P. De and J. Dillard, "Artificial Intelligence, Cognitive Science and Computational Modeling in Auditing Research: A Research Approach," \f2Journal of Information Systems\f1 (Spring 1987).

---and L. E. Graham, and J. V. Hansen, "Technological Development and EDP" in Abdel-Khalik, A. R. & Solomon, I. "Research Opportunities in Auditing: The Second Decade," American Accounting Association: Auditing Section, Sarasota, Florida, 1989.

Biggs, S. F. and T. J. Mock, "An Investigation of Auditor Decision Processes in the Evaluation of Internal Controls and Audit Scope Decisions," \f2Journal of Accounting Research,\f1 (Spring 1983), pp. 234-255.

Buchanan, B. G. and E. H. Shortliffe, \f2Rule-Based Expert Systems\f1 (Addison-Wesley Publishing Company, 1984).

Cash, J. I., A. D. Bailey Jr., and A. B. Whinston, "A Survey of Techniques for Auditing EDO-Based Accounting Information Systems," \f2The Accounting Review,\f1 (October 1977), pp.813-32.

Elliott, R. K., "Auditing in the 1990s: Implications for Education and Research," \f2California Management Review\f1 (Summer 1986),

pp. 89-97.

Fox, C. and F. Zappert, "Information Systems Evolution in the Near Future," *AT&T Bell Laboratories*, Holmdel, NJ. Private Communication (December 1985).

Gessner, R., "Building A Hypertext System," *Dr. Dobb's Journal*, (June 1990), pp.22-33.

Halper, F. B., J. P. Snively and M. A. Vasarhelyi, "CPAS- Knowledge Engineering and Representation" Second International Symposium on Expert Systems in Business, Finance, and Accounting, Newport Beach, Ca., (November 1989)

Hansen, J. V. and W. F. Messier Jr., "Expert Systems in Auditing," *Auditing: A Journal of Theory and Practice*, (Autumn 1987), pp. 94-105.

Hayes-Roth, B., "Implications of Human Pattern Processing for the Design of Artificial Knowledge Systems", (Academic Press, Inc., 1978).

Kahan, S., T. Pavlidis, and H. S. Baird, "On the Recognition of Printed Characters of any Font Size," *AT&T Bell Laboratories*, Private Communication (January 1986).

Kelly, K., G. Ribar, and J. Willingham, "Interim Report on the Development of an Expert System for the Auditor's Loan Loss Evaluation," *Artificial Intelligence in Accounting and Auditing*, Miklos A. Vasarhelyi, ed. (Markus Wiener Publishing Company, 1988).

McCarthy, W.E., "An Entity-relationship View of Accounting Models," *The Accounting Review*, (October 1979), pp. 667-86.

---"The REA Accounting Model: A Generalized Framework for Accounting Systems in a Shared Data Environment," *The Accounting Review*, (July 1982), pp. 554-578.

Roussey, R., "The CPA in the Information Age: Today and Tomorrow," *Journal of Accountancy* (October 1986), pp. 94-107.

Schank, R.G. & Abelson, R.P., *Scripts Plans & Understanding*, (Lawrence Erlbaum Associates Publishers, 1977).

Shaw, A.N. and H.A. Simon,
"Elements of a Theory of Human Problem Solving",
\fBPsychology Review\fP,
(Vol.65 No. 3 1958) pp.151-166.

Shimura, M and F.H. George,
"Rule-Oriented Methods in Problem Solving",
Artificial Intelligence\fP,
(Vol.4 1973) pp.203-223.

Simon, H.,
"The Structure of III Structured Problems",
Artificial Intelligence\fP,
North-Holland Publishing Company,
(Vol.4 1973) pp.181-201.

---"information Processing Models of Cognition",
Annual Review Psychology\fP,
(Vol.30 1979), pp.363-396,

Vasarhelyi, M.A., "Expert Systems in Accounting and Auditing,"
Artificial Intelligence in Accounting and Auditing\f1
(Markus Wiener Publishing Company, 1988).

---, and W.T. Lin, \f2Advanced Auditing\f1 (Addison-Wesley
Publishing Company, 1988).

---, and D.C Yang, "Technological Change and Management
Information Systems," \f2Proceedings of the Twenty-First Annual
Hawaii International Conference on System Sciences\f1 (Hawaii 1988),
pp. 191-197.

Wolitzky, J.I., "A Low-Cost UNIX Speech Workstation,"
AT&T Bell Laboratories, Murray Hill,
N.J. Private Communication\f1 (July 1985).